

## **Here Are Pneumatic Pu Air Hose All Types**

















KGK coding technology



Seiko quality



Smooth



Pressure-proof and explosion-proof



Durable

High cost and strict selection of materials only for everyone to use a roll of explosion-proof and durable air pipe AIRFIT escort your production





# Not only explosion-proof but also efficiency

Industrial production is not going to be used you need a coil of explosion-proof air pipe



The user recognizes that the function of the air hose is

65% explosion-proof 8% anti-aging 27% increase overall efficiency


### AIRFIT PU AIR HOSE

## MARKET ORDINARY PU AIR HOSE



○ THE TUBE WALL IS THICK AND TRANSPARENT

○ THE TUBE WALL IS THIN AND THE MATERIAL IS INFERIOR



© GERMANY IMPORTED PURE PU MATERIAL

O LOW COST AND SHORT LIFE

**60** °c

High temperature resistance in summer

(specifically affected by the environment)

98<sub>A</sub>

Thicker pipe wall in summer is more explosion-proof than ordinary pipe materials **-30~35** °C

Low temperature resistance in winter

(specifically affected by the environment)



95A in winter(refer to Shore hardness)

98A pipe does not change in summer



O HIGH RESILIENCE AND HIGH PRESSURE RESISTANCE

O LOW TOUGHNESS AND NOT HIGH PRESSURE RESISTANCE

# Universal in all seasons different thicknesses

Buy a good pure Pu trachea from Germany

# FINELY CRAFTED ROUND AND SMOOTH PIPE WALLS

The inner wall of the air hose is smooth reducing the friction of the medium to pass smoothly Has excellent impact resistance, corrosion resistance and good safety performance

50% INCREASE IN EXPLOSION-PROOF PERFORMANCE





Insert the flat trachea into the release ring



Press release ring after release

# **Not Loose**



## Also We Sell All Size Pu Pipe Connector



#### **Technical details**

Working Temperature:- 20°C-50°C. Raw Material:- TPU. Material:- PE. Length:- 100M 200M. Package:- Standard Exported Packaging. Certificate:- ROHS, CE, REACH, ISO. Thickness:- 1mm-2mm. Usage:- Supply Gas And Oil. Color:- Available As Stock. Feature:- Corrosion Resistant. Working Pressure:- 0.1~1Mpa. Size:- 4ODx2.5ID, 6ODx4ID, 8ODx5ID, 10ODx6.5ID, 12ODx8ID. Warranty:- One Year. Shipping:- All India Free. Support:- Online. Minimum order:- 100M-200M.

#### Price:-

40Dx2.5ID, 200 meter 3200 Rs. + 18% GST Extra.

60Dx4ID, 200 meter 6400 Rs. + 18% GST Extra.

80Dx5ID, 100 meter 4800 Rs. + 18% GST Extra.

100Dx6.5ID, 100 meter 8000 Rs. + 18% GST Extra.

120Dx8ID, 100 meter 11000 Rs. + 18% GST Extra.



### **Read More This Product Visit Below Link:**

https://www.topsell.in/4mm-6mm-8mm-10mm-pu-pneumatic-air-hose-pipe-tubing.php

इस प्रॉडक्ट अधिक जानकारी के लीये नीचे के लिंक को विजिट करे

https://www.topsell.in/4mm-6mm-8mm-10mm-pu-pneumatic-air-hose-pipe-tubing.php



# YUKTIRAJ EVT LTD

# **ISO Certified Indian Company**

### Why us

Yuktiraj Pvt Ltd Is Will Continue With Technical Force, High Quality Product Performance, Reasonable Price, Thoughtful & Efficient Service. Our Company Stresses On The Experience Accumulation And Technology Research. 365 Days Full Support. Honest And Trustable Company. Responsive Staff. We Keep Trust On Quality And Customer Satisfactions. We are India's leading manufacture and import export company.















\*\*\* Company Address \*\*\*

Yuktiraj Pvt. Ltd,



WhatsApp 9588688034

Raje Shambhaji Nagar Kinhi Road Bypass Karanja Lad

District: Washim State: Maharashtra Pin: 444105



Thank you always with you

www.topsell.in

Terms And Conditions :- https://www.topsell.in/tc