

Double Vacuum Packing Machine

Model Yukti 336



HD

HEAVY-DUTY



Details Images



Flat table

Worktables are used alternately, easy to wash the worktable

Simple operation panel

Intelligent adjustable time, simple operation





High power vacuum pump

The high-quality high-power vacuum pump is used for good vacuuming, high-quality electrical components, long service life and stable performance

High vacuum efficiency in double chamber

Double-chamber vacuum turns work to improve work efficiency





Copper vent, three-way interface

Copper gas port, three joint, good sealing, no air leakage for a long time





Microcomputer control

The panel is simple to understand and easy to operate and it is more intelligent

Industrial vacuum pump

High-power vacuum pump, vacuum capacity up to 99.9%, Keep food fresh, prolong the shelf life






Double swing arm design

The arm is delicately designed, with balance stress, conforming to human engineering, flexible in operation.

Safety switch

High quality switch, touch sensitive







Complimentary auxiliary pad

Choose according to model

Pure copper transformer

Effectively control voltage variation









Thickened steel wire hose

Steel wire hose is adopted, which can bear high-strength pumping load

suitable for various vacuum bags



Texture Bag



Gusset Bag



Straighten Vacuum Bag



**Transparent Sealing
Without Wrinkles**



Not Sharp Product



**Untidy Sealing
Leak Easily**



**Folded Sealing
Leak Easily**



**Sharp Products
Prick Package**



Bacon



Corn



Coarse Cereals



Roasted Duck



Cakes and Pastries



Sausage



Fish



Tomatoes



Traditional Chinese rice-pudding

Meat, seafood

Vegetables

Dried fruit



Meat, seafood

Vegetables

Dried fruit



Technical Details

Voltage:- 220V/50HZ. Motor Power:- 2000W. Ultimate Vacuum Pressure:- 1Kpa. Number of Sealing Bars for Each Chamber:- 2PCS. Chamber Dimension:- 660x550x180MM (2). Sealing Length:- 600MM. Sealing Width:- 10MM. Vacuum Pump Rate:- 20*2m³/h. Material for Vacuum Chamber:- Stainless steel 201~304. Dimension:- 1460*790*880MM. Net Weight:- 220KG. Distance from sealing bar to chamber side:- 500MM. Vacuum pump:- large industrial pump. Shipping:- All India free. Warranty:- 1 Year. Service:- online.

Price:- 250000 Rs + 45000 Rs 18% Gst Total Payable 295000 Rs

BUY NOW

Read More This Machine Visit Below Link:-

<https://www.topsell.in/vacuum-packing-machine.php>

इस मशीन अधिक जानकारी के लीये नीचे के लिंक को विजिट करे

<https://www.topsell.in/vacuum-packing-machine.php>



Quick Support



YUKTIRAJ PVT LTD

ISO Certified Indian Company



Yuktiraj Pvt Ltd Is Will Continue With Technical Force, High Quality Product Performance, Reasonable Price, Thoughtful & Efficient Service. Our Company Stresses On The Experience Accumulation And Technology Research. 365 Days Full Support. Honest And Trustable Company. Responsive Staff. We Keep Trust On Quality And Customer Satisfactions. We are India's leading manufacture and import export company.



YUKTIRAJ PVT LTD

ISO Certified Indian Company

SEND AN INQUIRY



*** Company Address ***

Yuktiraj Pvt. Ltd

Raje Sambhaji Nagar Kinhi Road Bypass Karanja Lad

District: Washim State: Maharashtra Pin: 444105

Thank you always with you

Terms And Conditions :- <https://www.topsell.in/tc>



WhatsApp

9588688034

www.

www.topsell.in