

Kurkure Making Plant

Model:- Yukti 299











Gritting machine Quantity 1



Main motor: 11kw **Working efficiency:** 200-350kg/h Excluding cornflakes, embryos and black spots, the yield of corn flour and corn grits is 70%. **Size:** 1960x650x1280mm

Mixer Quantity 1



Installed power: 3kw 380v/50hz **Power consumption:** 2.5kw / h **Dimensions mm:** 1030 * 720 * 1240mm

Function: Mix the raw material **Production capacity:** support **Main motor:** 11kw **Working efficiency:** 200-350kg/h

Excluding cornflakes, embryos and black spots, the yield of corn flour and corn grits is 70%. **Size:** 1960x650x1280mm

Brief introduction:

1. The frame is made of No.45 steel. The mixing part and cabin is made of stainless steel 201. 2. Matching with separate controlling cabinet, can work separately. High efficiency, even mixing, is used in mixing the powder food material with a small amount of liquid. Mixing the powder material and water evenly for 5 to 10 minutes.

Screw Conveyor Quantity 1



Installed capacity: 1.1kw **380v/50hz** **Power consumption:** 0.5kw **Dimensions mm:** 3100 * 590 * 2200mm

Brief introduction:

Provides efficiency, transportation accurate, reliable strong and durable, and the feeding process raw materials completely damp from pollution, without foreign body, no leakage, to achieve the feeding process from the operation, and to prevent altitude feeding risk.

Kurkure Extruder Quantity 1



Production Capacity: 100-150kg / h **Installed capacity:** 27.5kw **Voltage / Frequency:** 380V / 50HZ **Main Motor:** 22kw inverter **Dimension:** 2200×1100×1950 (mm)

Brief introduction:

1. Blower to ensure discharge products faster and unblocked, 2. Window on the Hopper to check the raw materials level and quantity easily, 3. Vibrant Motor on the Hopper ensure feed raw materials fast and successfully, Inverters, Conductors and other electronic parts are from World-famous Brands, FUJI, LG, DELTA

Roller Screen Quantity 1



Drive motor: 0.75kw **Size:** 2200x630x1750.

Brief introduction:

The stainless steel flavor feeder is used to spray powder flavor to the drum. We can control the spraying quantity via the different speed which controlled by the soft start. With the two drums, the food can be flavored well.

Frying Machine Quantity 1



Dimension: 2500*700*2100mm height can be adjusted **Oil groove size:** 2000*500*400mm (length*width*depth) **Mesh belt width:** 500mm **Oil capacity:** 400L **Installed power:** 48KW **Transmission power:** 1.5kw **Hoister power:** 0.75kw(2 sets) **Oil pump power:** 1.5kw **Burner power:** 200000 KC **Output:** 100-200kg/h **Material:** SUS304 **Heating source:** electric heating **Oil tank size diameter:** 1200mm, height: 1500m **Voltage:** 380v/50hz

Brief introduction:

Electric Belt and Upper Cover Lifting Setting .advantage of continuous production.

Oil Tank Quantity 1



Made: All Stainless Steel **Volume:** 1000L **Pre-heating power:** 4kw **Size:** 1000*1000*1500mm

Oil Filter Quantity 1



Oil Filter Capacity: 5000L/Hr (83L/Min) **Filter size:** 60mesh **Size:** 670*560*980mm

Vibrating Deoiling Machine Quantity 1



Power: 0.25kw **Size:**1450x700x950mm

Brief introduction:

1. Adopt vibration oil filtering design, oil filtering is quick and convenient 2. The equipment is made of stainless steel 3. The vibration amplitude can be adjusted to facilitate operation

Flavoring System Quantity 1



Installed Power: 1.12kw **Power consumption:** 1kw **Capacity:** 100-250kg/h **Dimension:** 1600×600×1700mm
Function: Hoisting and seasoning the product

Sugar Melting And Spraying Machine Quantity 1



Installed Power: 4kw **Power consumption:** 0.9kw **Dimension:** 940×630×750mm **Function:** Spraying the sugar and melting the sugar.

Single Roller Quantity 1



Output: 100-150kg/h **Installed Power:** 1.5kw **Dimension:** 2700x780x1420mm **Function:** Rolling and seasoning

Total 12 Machine Included In Kurkure Plant

No	Name	Amount	Origin	Material
1	Groove body	1 set	Shandong	SUS304
2	Mesh belt frame	1 set	Shandong	SUS304
3	Mesh belt	1 series	Shandong	SUS304
4	External heater	1 set	Shandong	
6	Temperature control	2sets	Yuyao	
7	Temperature probe	2piece	Yuyao	
8	Cabinet control	1set	Shandong	
11	Circulating pump	2 sets	Zhejiang	
12	Motor	3 sets	China	

WORKSHOP



Technical Details

Model:- Yukti-299. **Installed size:-** 20*3*3.5m install machines in a straight line. **Total power:-** About 97.72kw. **Machine Power:-** 2.2KW/3KW. **Voltage:-** 220/380v/400v. **Raw material:-** corn kernels, corn flour. **Workers required:-** 2-5 persons. . **Warranty:-** One Year. **Warranty Provider:-** Yuktiraj Pvt Ltd. **Shipping:-** All India Free. **Service:-** online. **Onsite service:-** The buyer affords the round-trip tickets china to india, food, accommodation, visa and interpret and pay 100USD/day/person for the installation.

Price:- 6500000 INR + 18% Gst 1170000 INR Total Payable 7670000 INR



Read More This Machine Visit Below Link:-

<https://www.topsell.in/kurkure-making-banane-wali-wala-ki-machine-price.php>

इस मशीन अधिक जानकारी के लीये नीचे के लिंक को विजिट करे

<https://www.topsell.in/kurkure-making-banane-wali-wala-ki-machine-price.php>



YUKTIRAJ PVT LTD

ISO Certified Indian Company



Yuktiraj Pvt Ltd Is Will Continue With Technical Force, High Quality Product Performance, Reasonable Price, Thoughtful & Efficient Service. Our Company Stresses On The Experience Accumulation And Technology Research. 365 Days Full Support. Honest And Trustable Company. Responsive Staff. We Keep Trust On Quality And Customer Satisfactions. We are India's leading b2b import export company.



YUKTIRAJ PVT LTD

ISO Certified Indian Company



SEND AN INQUIRY

*** Company Address ***

Yuktiraj Pvt. Ltd,

Raje Shambhaji Nagar Kinhi Road Bypass Karanja Lad

District: Washim State: Maharashtra Pin: 444105

Thank you always with you

Terms And Conditions :- <https://www.topsell.in/tc>



WhatsApp 9588688034



www.topsell.in