






Stainless Steel Body

Adopt the brushed stainless steel, firm and high temperature resistance



























PRECISE DIGITAL PANEL

① Set Time



② Set Temperature



LIGHT INSIDE

WATCH FOOD DYNAMICS AT ANY TIME



6 LAYERS FOOD DEHYDRATOR

¢.



ப

Ĵ÷

6



SIX DISTINCIVE FEATURES



POWERFUL HEATING ELEMENT EFFICIENCT & DURABLE



Application



Dehydrated vegetables



Dried Fungus

Dried fruit



Scented tea



Herbal medicine



Chilli






Fish

Pet food

Chips









Vegetable



Nut



Spices



Medicinal Herb



Seafood



Pet food



Flower



Tea Leaf



Fungus



Fish





DRIED FRUIT

SCENTED TEA







SPICE

MEAT

HERBAL MEDICINE







MULTIPURPOSE

Temperature	Timer Range	Noise Level
30~90°C	0-24 hours	50-55dBs



SPICE


MEAT


HERBAL











LARGE CAPACITY



GOOD DRYING EFFECT




OBSERVABLE AND QUICKER PROCESS




FULL STAINLESS STEEL



DIGITAL CONTROL PANEL



360° EFFICIENT DRYING





Double layer outershell


2

1

Heat protection; Better drying performance;

Food Grade 304 Stainless Steel Shelf


Strong Bearing Capacity, Corrosion Resistance, Durable And Healthier



SIX DISTINCTIVE FEATURES







LARGE CAPACITY

WITH LIGHT INSIDE

FOOD GRADE TRAY



PRECISE DIGITAL PANEL



GOOD DRYING EFFECT



LOW POWER CONSUMPTION

SIX DISTINCIVE FEATURES

. . .



DOUBLE LYAER OUTERSHELL

GOOD DRYING EFFECT



PRECISE DIGITAL PANEL





	J
I	


LARGE CAPACITY



ANTI-STICKY

STAINLESS STEEL







Size: 5X5mm Suitable for various products drying 304 Stainless steel

CORE INTELLIGENT CHIP SMARTER AND MORE EFFICIENT

...



ADJUSTBALE TIME RANGING FROM 30 MINUTES - 24 HOURS



TEMPERATURE SETTING RANGE ADJUSTBALE TEMPERATURE RANGING FROM 30°C-85°C



PRECISE DIGITAL PANEL






② Set Temperature




Pure Copper Winded



OBSE RVATION WINDOWS

Users do not have to open the window frequently during the drying process.




SHI MUTTONAL BURNELIS ELA DALLINGAL RECOMMUNICIPUM OPTIMIA



AIR VENTS

Drying productivity increased

MOTOR COMPLETY IN HER WHEN I HER



ALUMINUM FAN

2 SUS304 MESH TRAY






AIR OUTLET



Accurate digital control

The accurate digital control for temperature and time, makes sure the excellent flavour.



PRODUCT PARAMETERS



Technical Details

Model:- Yukti 295. Power:- 650w. Capacity:- 3kg (Depend On Material). Tray:- 6. Voltage:- 220V. Weight:- 7kg. Dimensions Size:- 395*345*287MM. Material:- Stainless Steel 201sus body 304sus trays and inner side. Temp. Range:- 30~90°C. Method:- 360 Degree Hot Air Drying. Tray Size:-30x28cm Grid Spacing:- 3.5cm Warranty:- 1 Year. Support:- Online. Shipping:- All India Free.



Read More This Machine Visit Below Link:-

https://www.topsell.in/tomato-agarbatti-hot-dryer-machine-with-heater.php

इस मशीन अधिक जानकारी के लीये नीचे के लिंक को विजिट करे

https://www.topsell.in/tomato-agarbatti-hot-dryer-machine-with-heater.php

Scan code to open link





YUKTIREJ FVT LTD ISO Certified Indian Company



Yuktiraj Pvt Ltd Is Will Continue With Technical Force, High Quality Product Performance, Reasonable Price, Thoughtful & Efficient Service. Our Company Stresses On The Experience Accumulation And Technology Research. 365 Days Full Support. Honest And Trustable Company. Responsive Staff. We Keep Trust On Quality And Customer Satisfactions. We are India's leading manufacturer and import export company.



SEND AN INQUIRY

*** Company Address ***

Yuktiraj Pvt. Ltd,

Raje Shambhaji Nagar Kinhi Road Bypass Karanja Lad

District: Washim State: Maharashtra Pin: 444105

Thank you always with you

Terms And Conditions :- https://www.topsell.in/tc



WhatsApp

9588688034



www.topsell.in