



Wood And Feed Pellet Machine

Model Yukti 433





HD
HEAVY-DUTY

30HP





2mm



3mm



4mm




5mm



6mm







RAW MATERIAL TO FINAL PELLET

Burning granules



WOOD
LOGS



WOOD
CHIPS



WOOD
SAWDUST



HAY



GRASS



RICE
HUSK



STRAW



PALM
KERNEL SHELL





Corn stover pellets



Ebony wood pellets



Activated carbon particles



Rice husk pellets



Miscellaneous wood particles



Redwood pellets



White Pine Granules



Pinus sylvestris granules



Cat litter particles

RICE HUSK



CORN STRAW



**PEANUT
SHELL**



**FERMENTED
COW DUNG**



**WOOD
SAWDUST**



**COTTON
STRAW**






2.5MM

2.5MM MILLSTONE SUIT-
ABLE FOR AQUATIC
PRODUCTS, SHRIMP,
SMALL FISH, CRABS,
YOUNG BIRDS, ETC



3MM

3MM MILLSTONE SUITABLE
FOR BREEDING, YOUNG
CHICKENS YOUNG DUAKS,
YOUNG RABBITS, YOUNG
PEACOCKS AND SO ON






2.5MM


2.5MM MILLSTONE SUIT-
ABLE FOR AQUATIC
PRODUCTS, SHRIMP,
SMALL FISH, CRABS,
YOUNG BIRDS, ETC



3MM

3MM MILLSTONE SUITABLE
FOR BREEDING, YOUNG
CHICKENS YOUNG DUAKS,
YOUNG RABBITS, YOUNG
PEACOCKS AND SO ON





4MM

THE 4MM MILLSTONE
PLATE IS SUITABLE FOR
CHICKEN, DUCK FISH,
RABBIT, PIGEON, BIRD
AND SO ON



6MM


6MM MILLSTONE SUITABLE
FOR PIGS, HORSES,
CATTLE, SHEEP DOGS AND
OTHER LIVESTOCK





2.5MM

Small fish
Little bird



3MM

Young rabbit
chicken duck
pigeon



4MM

Adult chicken
duck rabbit
pigeon goose



6MM

cattle
sheep
pig dog



8MM

bait large
birds











6mm



7mm



3mm



4mm



5mm





Widened Feed Inlet
Convenient for Feeding




Pure Copper Motor
High Power&Low Noise



Coupling Rotation, Low Friction
Less Transmission Ratio Loss than Belt



Stainless Steel Coupling
High Temperature Quenching




Chromium-manganese Steel
High Temperature Quenching



Length of Feed Pellets can be
Adjusted at Any Time



Grinding Disc Size from
3mm to 7mm for Choice




Nylon Casters
Wear-resistant&durable




Oil Window&Oil Dipstick
Accurately Detect the Oil Level



3 Layers of Spray Paint
20 Years Anti-rust



Adjust the distance between roller&disc
keep the nuts on both sides balanced
not bring damage to roller&disc




Widened discharge port
Smooth discharging
the baffle prevents the feed from falling





Work Flow



Technical Details

Model:- Yukti 433. **Dimension:-** 151*55*139.5cm. **Production Capacity:-** 500-700Kg/H. **Net Weight:-** 361Kg. **Pellet Diameter:-** 4-8mm Any One. **Number Of Roller:-** 3. **Motor Power:-** 22Kw 30Hp. **Voltage:-** 380v 50hz. **Labor:-** One Each Machine. **Ideal Moisture:-** 12-15%. **Input Sawdust Size:-** Below 1mm. **Color:-** Blue. **Material:-** High Grade Carbon Steel. **Warranty:-** One Year. **Shipping:-** All India Free. **Service:-** Online.

Price:- 330000 Rs + 18% GST 59400
Rs Total Payable:- 389400 Rs.



Read More This Machine Visit Below Link:-
<https://www.topsell.in/sawdust-biomass-Wood-pellet-making-machine.php>

इस मशीन अधिक जानकारी के लीये नीचे के लिंक को विजिट करे
<https://www.topsell.in/sawdust-biomass-Wood-pellet-making-machine.php>

Scan To Open Link





YUKTIRAJ PVT LTD

ISO Certified Indian Company

WHY US



Yuktiraj Pvt Ltd Is Will Continue With Technical Force, High Quality Product Performance, Reasonable Price, Thoughtful & Efficient Service. Our Company Stresses On The Experience Accumulation And Technology Research. 365 Days Full Support. Honest And Trustable Company. Responsive Staff. We Keep Trust On Quality And Customer Satisfactions. We are India's leading manufacture and import export company.



YUKTIRAJ PVT LTD

ISO Certified Indian Company



SEND AN INQUIRY

*** Company Address ***

Yuktiraj Pvt. Ltd,

Raje Shambhaji Nagar Kinhi Road Bypass Karanja Lad

District: Washim State: Maharashtra Pin: 444105

Thank you always with you

Terms And Conditions :- <https://www.topsell.in/tc>



WhatsApp

9588688034



www.topsell.in